

EQUIPMENT APPLICATION FORM

| DATE: | | | | | | | | | | | | | | | | | | | |
|--|---------------|----------------|---|---------|--|--------------|-----------------------|---------|---------|--------------|------------------------|---------|----------------------------------|---------------------|----------|----------|------|-------|--|
| GENERAL INFORMATION | | | | | | | | | | | | | | | | | | | |
| COMPANY | | | | | | | | CONTACT | | | | | | 1 | TITLE | | | | |
| STREET ADDRESS | | | | | CITY, STATE, COUNTRY | | | | | | | | | | 1 | ZIP CODE | | | |
| STREET ADDRESS | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| PHONE # | | | | , | V/LIENI IC | EQLIIDM | MENIT DEO | LIIDED | | | WHAT IS VO | I ID DI | IDGET | 2 | | | | | |
| FAX# | | | | | WHEN IS EQUIPMENT REQUIRED? WHAT IS YOUR BUDGET? | | | | | | | | | | | | | | |
| | L | | | | <u> </u> | | | | | | l. | | | | | | | | |
| BRIEF DESCRIPTION OF COMPA | ANY ACTIVITIE | S | | | | | | | | | | | | | | | | | |
| APPLICATION: | | | | | | | | | | | | | | | | | | | |
| EXPLAIN APPLICATION NEED | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| CURRENT HANDLING METHOD | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| DECLUBED MATERIAL CONVEYAND | CE DISTANCES | | FEET | | | | OR | R METE | | | METERS | | | | | | | | |
| REQUIRED MATERIAL CONVEYANCE DISTANCE? REUIRED MATERIAL CONVEYANCE RATE? | | | | CFM | | FPM | | | | STA | METERS TIC PRESSURE | | OTHER | | | | | | |
| | | | ROAD LEGAL TRA | AILFR | | | PORTAE | | | | STATIO | NARY | | ELECTRIC | | DIESEL | | LP | |
| EQUIPMENT CONFIGURATION RESTRICTIONS | | | LENGTH | | | WIDTH | | | HEIGHT | | | | | WEIGHT | | | | | |
| EQUIPMENT LOCATION | | | INDOOR | | | OUTDOOR | | | | | Y HOST | TILE EL | EMENTS BELOW | | | | | | |
| | | | AMBIENT TEMP | | | | HRENHEIT | | | | OR CELSIUS | | | MIN | | | MAX | | |
| JOB SITE ELEVATION | | | FEET | | | OR | | | | | METERS | | | | | | | • | |
| REQUIRED MATERIAL STORAGE CAPACITY | | | CUBIC FEET | | | OR CUBIC YDS | | | CUBIC M | | CUBIC METERS | | | OR | | NONE RQU | IRED | | |
| CONVEYED MATERIAL DISPOSED | | | HOURLY | | | DAILY | | | WEEKLY | | | | CONTINUOUS | | INTERMIT | TENT | | | |
| MATERIAL DISCHARGED INTO? | | | NONE | | | HOPPER | | | TRUCK | | | | DRUM | | 0 | THER | | | |
| SYSTEM DUTY CYCLE: | | | HOURS/DAY | | | CONTINUOUS | | | | INTERMITTANT | | | | | | | | | |
| ELECTRICAL REQUIREMENTS | | | VOLTS | | P | | | | CYCLES | | | | Г | | 1 | | | | |
| | | | WEATHER-RESIS | TANT | EXPLOSIC | | | ROOF | F | | | CLAS | S | DIVISION | | | | | |
| COMPRESSED AIR (CLEAN, DRY) AVAILABLE? | | | | | YES NO | | | | | | | | | | | | | | |
| RQUIRED NUMBER OF HOSE PICK | I | | | | | | JM OPEN CONCURRENT PO | | | OINTS | | 1 | | | | | | | |
| DUCTING DIAMETER | | | DUC | TERIAL: | | GAL S.S. PIP | | | | <u> </u> | HOSE | | | | | | | | |
| SAFETY PROTECTION COMPONENTS | | | | 201 | CHEMI | | | | | | | | | | | | | | |
| FIRE SUPPRESSION EXPLSION RELIEF VENTS | | | VCT V | DRY | CHEMICA P red VALI | | | | WATER | | | | l | | | | | | |
| ISOLATION VALVE | | | KST VALUE P red VALUE FIRE EXTINGUISHER | | | | | | | | | | | | | | | | |
| ABORT GATE | | | ROTARY VALVE | | | | | | | | | | | | | | | | |
| BONDING & GROUNDING | | | SPART ARRESTOR | | | | | | | | | | | | | | | | |
| SPAF | RK DETECTION | | | | | | | | | | | | | | | | | | |
| MAXIMUM SOUND LEVEL: | | | | | DE | CIBLES @ | 10' (3 ME | TERS) | | | | | | MANDATORY | | DESIR | ABLE | | |
| MATERIAL PROPERTIES: | | | | | | | | | | | | | | | | | | | |
| MATIERAL DESCRIPTION AND | | | | | | | | | | | | HYGR | OSCOF | PIC YES | | | | | |
| TYPE OF MATERIAL | | | | | | | | | T T | | | | SIVE | YES | | | | | |
| BLUK WEIGHT | | LBS/CUBIC FEET | | | k | IC METERS | | | | | | OSIVE | YES | | | | | | |
| | | | OTHER | - 1 | | 1 | | | | 1 | 1 | FLAN | IMABLI | E YES | | | | | |
| PRODUCT FLOW CHARACTERISTICS | | | WET | | | | STICKY SLURRY | | | | | | C | YES | | | | | |
| | | | MIN | N | AX SIZE IS S | % OF TOTAL | | | | Ī | OSIVE | YES | | | | | | | |
| MOISTURE % BY VOLUME | | | | | CELSILIS | | | | | | | 1 | RDOUS | | | | | | |
| TEMPERATURE: FARENHEIT COHESION SLIGHT | | | | CELSIUS | 5 | | L | XTREME | | | | : | YES | | | Г | | | |
| COHESION SLIGHT OTHER COMMENTS: | | | | | | <u> </u> | | | | | | | AFETY DATA SHE ERIAL CHARACTI | | | YES | | NO NO | |
| | | | | | | | | | | | | 0 | | ETTI TE CITATO TO T | | .03 1 01 | 125 | - | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| Î. | | | | | | | | | | | | | | | | | | | |